



Company Profile

The Cyan LED is a product marketed by Spine India Group .Cyan LED Provide high-performance, energy-efficient lighting and an innovative leader in Light Emitting Diode (LED) design, with technology targeting the best Eco-lighting solutions.

Our Integral LED division has been created to sell and support LED lighting products by building on our experience in technology and semiconductor products. An LED chip and the chips used to make memory products are both semiconductors.

We are meeting the challenge to create a comprehensive range of well-priced, innovative LED products that perform, saving you energy and money, as well as benefiting the environment.

We deliver a great range of LED lamps to wholesalers, distributors and major retailers through our sales team, all fully supported up to the end-user by phone, email and via our mobile ready website optimized for computers, smartphones and tablets.Cyan LED team can also provide advice and pre-sales support to home-owners, installers, facilities mangers and architects on how they can get the best value from LED as a retrofit or in a new installation.





LED Bulb

Watt	MODEL	SIZE DIA	COLOURS	LIGHT FLUX	Viewing Angle
5W	CY-BL-05-R	60*110 mm	3K 4K 6K	500 lm	220° - 270° PF >.95
7W	CY-BL-07-R	70*124 mm	3K 4K 6K	700 lm	220° - 270° Isolated
9W	CY-BL-09-R	80*136 mm	3K 4K 6K	900 lm	220° - 270°
12W	CY-BL-12-R	80*136 mm	3K 4K 6K	1200 lm	220° - 270°

MODULES :





LED Round Panel

Watt	MODEL	SIZE DIA	CUTOUT	COLOURS	LIGHT FLUX	Viewing Angle	
3W	CY-PL-03-R	85 mm	70 mm	3K 4K 6K	240 lm	120°	PF >.95
6W	CY-PL-06-R	120 mm	105 mm	3K 4K 6K	490 lm	120°	Isolated
12W	CY-PL-12-R	174 mm	155 mm	3K 4K 6K	980 lm	120°	
18W	CY-PL-18-R	225 mm	200 mm	3K 4K 6K	1650 lm	120°	



LED Square Panel

Watt	MODEL	SIZE DIA	CUTOUT	COLOURS	LIGHT FLUX	Viewing Angle	
3W	CY-PL-03-S	85*85 mm	70*70 mm	3K 4K 6K	240 lm	120°	PF >.95
6W	CY-PL-06-S	120*120 mm	105*105 mm	3K 4K 6K	490 lm	120°	Isolated
12W	CY-PL-12-S	174*174 mm	155*155 mm	3K 4K 6K	980 lm	120°	
18W	CY-PL-18-S	225*225 mm	200*200 mm	3K 4K 6K	1650 lm	120°	





LED Round Mount Surface

Watt	MODEL	SIZE	COLOURS	LIGHT FLUX	Viewing Angle	
6W	CY-MS-06-R	120*35 mm	3K 4K 6K	490 lm	120°	PF >.95
12W	CY-MS-12-R	174*35 mm	3K 4K 6K	980 lm	120°	Isolated
18W	CY-MS-18-R	225*35 mm	3K 4K 6K	1650 lm	120°	



LED Square Mount Surface

Watt	MODEL	SIZE	COLOURS	LIGHT FLUX	Viewing Angle	
6W	CY-MS-06-S	120*35 mm	3K 4K 6K	490 lm	120°	PF >.95
12W	CY-MS-12-S	174*35 mm	3K 4K 6K	980 lm	120°	Isolated
18W	CY-MS-18-S	225*35 mm	3K 4K 6K	1650 lm	120°	





LED COB Lights

Watt	MODEL	SIZE	CUTOUT	COLOURS	LIGHT FLUX	Viewing Angle	
6W	CY-CL-06-R	84 mm	75 mm	3K 4K 6K	720 lm	45° - 60°	PF >.95
10W	CY-CL-10-R	100 mm	83 mm	3K 4K 6K	1200 lm	45° - 60°	Isolated
15W	CY-CL-15-R	113 mm	100 mm	3K 4K 6K	1800 lm	45° - 60°	
22W	CY-CL-22-R	160 mm	140 mm	3K 4K 6K	2650 lm	45° - 60°	



LED Track Light

Watt	MODEL	COLOURS	LIGHT FLUX	Viewing Angle	
12 W	CY-TL-12-RS	3K 4K 6K	1440 lm	10° - 90°	PF >.95
20 W	CY-TL-20-RS	3K 4K 6K	2400 lm	10° - 90°	Isolated
30 W	CY-TL-30-RS	3K 4K 6K	3600 lm	10° - 90°	





LED T5 Tube Light

Watt	MODEL	SIZE	COLOURS	LIGHT FLUX	Viewing Angle	
9W	CY-T5-09-R	2 Ft.	3K 4K 6K	840 lm	180°	PF >.95
18W	CY-T5-18-R	4 Ft.	3K 4K 6K	1680 lm	180°	Isolated
9W	CY-T5-09-S	2 Ft.	3K 4K 6K	840 lm	180°	
18W	CY-T5-18-S	4 Ft.	3K 4K 6K	1680 lm	180°	



LED T8 Tube Light

Watt	MODEL	SIZE	COLOURS	LIGHT FLUX	Viewing Angle	
9W	CY-T8-09-R	2 Ft.	3K 4K 6K	840 lm	180°	PF >.95
18W	CY-T8-18-R	4 Ft.	3K 4K 6K	1680 lm	180°	Isolated
9W	CY-T8-09-S	2 Ft.	3K 4K 6K	840 lm	180°	
18W	CY-T8-18-S	4 Ft.	3K 4K 6K	1680 lm	180°	





LED Panel 2x2

Watt	MODEL	SIZE	COLOURS	LIGHT FLUX	Viewing Angle	No.
40	CY-PL-40-S	2*2 Ft.	3K 4K 6K	4000 lm	120°	PF > .95
48	CY-PL-48-S	2*2 Ft.	3K 4K 6K	4800 lm	120°	Isolated



LED Panel 2x2

Watt	MODEL	SIZE	COLOURS	LIGHT FLUX	Viewing Angle	No.
40	CY-PL-40-SB	2*2 Ft.	3K 4K 6K	4000 lm	120°	PF > .95
48	CY-PL-48-SB	2*2 Ft.	3K 4K 6K	4800 lm	120°	Isolated





LED Flood Light

Watt	MODEL	Weight	SIZE	COLOURS	LIGHT FLUX	Viewing Angle	
30W	CY-FL-30-S	1.21 Kg	165*130 mm	3K - 6 K	3900 lm	60° - 120°	PF >.95
50W	CY-FL-50-S	1.77 Kg	150*195 mm	3K - 6 K	6500 lm	60° - 120°	Isolated
100W	CY-FL-100-S	2.75 Kg	140*240 mm	3K - 6 K	13000 lm	60° - 120°	
200W	CY-FL-200-S	8.5 Kg	200*320 mm	3K - 6 K	26000 lm	60° - 120°	



LED HighBay Light

Watt	MODEL	COLOURS	LIGHT FLUX	Viewing Angle	
60W	CY-HB-60-SR	3K - 6 K	7800 lm	60° - 120°	PF >.95
80W	CY-HB-80-SR	3K - 6 K	10400 lm	60° - 120°	Isolated
100W	CY-HB-100-SR	3K - 6 K	13000 lm	60° - 120°	





LED Street Light

Watt	MODEL	SIZE	COLOURS	IP RATING	LIGHT FLUX	Viewing Angle
24W	CY-SL-24-S	325*140*60	3K - 6 K	IP 65	3120 lm	60° - 120° PF >.95
36W	CY-SL-36-S	325*140*60	3K - 6 K	IP 65	4680 lm	60° - 120° Isolated
50W	CY-SL-50-S	380*200*64	3K - 6 K	IP 65	6500 lm	60° - 120°
60W	CY-SL-60-S	380*200*64	3K - 6 K	IP 65	7800 lm	60° - 120°
100W	CY-SL-100-S	456*250*64	3K - 6 K	IP 65	13000 lm	60° - 120°
150W	CY-SL-150-S	590*340*70	3K - 6 K	IP 65	19500 lm	60° - 120°



LED Solar Street Light

Watt	MODEL	SIZE	COLOURS	IP RATING	LIGHT FLUX	Viewing Angle
9W	CY-SSL-09-S	271*96*62	3K - 6 K	IP 65	1170 lm	60° - 120° PF >.95
12W	CY-SSL-12-S	271*96*62	3K - 6 K	IP 65	1560 lm	60° - 120° Isolated
15W	CY-SSL-15-S	271*96*62	3K - 6 K	IP 65	1950 lm	60° - 120°
18W	CY-SSL-18-S	315*135*60	3K - 6 K	IP 65	2340 lm	60° - 120°
24W	CY-SSL-24-S	315*135*60	3K - 6 K	IP 65	3120 lm	60° - 120°
30W	CY-SSL-30-S	315*135*60	3K - 6 K	IP 65	3900 lm	60° - 120°



Introducing **CCTV** Cameras



HD & IP CCTV Solution





Sales Office :

1st Floor, Sector-29, Part-II, HUDA Panipat
Haryana

Phone : +91 999 140 83 84

E-mail : info@cyanledlights.com

Web.: www.cyanledlights.com

Mkt. By :

SPINE INDIA GROUP

Dealer's Seal